

Air Handling Systems Newsletter
www.airhand.com

**INDUSTRIAL STRENGTH
Ductwork Direct**
April 2017

Products in Action

Solving Sound Issue



Before - Sound improvement

Upcoming Events

Fine Woodworking Live 2017

**APRIL 21-23
Southbridge,
Mass.** Curt Corum,
Sales Manager, will
be presenting:



Setting up shop dust collection
Saturday, April 22, 10:30-12 and
again at 3:30-5 pm

AWFS, Las Vegas JULY 19-22

Find IT
See IT
Experience IT



2017 AWFS Fair CWWK (College of Woodworking Knowledge) educational seminar program has been set! Jamison Scott, Air Handling Systems will be co-presenting, moderating and presenting:

"Dust Collection for Secondary Wood Operations"

Date: Wednesday, 7/19/17
Time: 11:30 a.m. - 1:00 p.m.

"Legislation Affecting the Woodworking Industry"

Date: Wednesday, 7/19/17
Time: 3:30 p.m. - 5:00 p.m.

"Dust Collection for Small Shops"

Date: Thursday, 7/20/17
Time: 9:30 a.m. - 11:00 a.m.



After - Dramatic Sound Reduction.

Long time customer moved into a new manufacturing facility. The original system provided and installed by a mechanical contractor had a noise issue as shown above.

They promptly contacted us for help. We provided new ducting on the exhaust side including extended ducting with a **duct silencer** to reduce the sound along with a new up blast stack cap. All which dramatically reduced the sound issue.

Impressive Customer Installation

Air Handling Catalog

2017 Air Handling Systems catalog is now available. To request your free copy please call 800-367-3828 or email

sales@airhand.com.



Antistatic Hose Highly Abrasion Resistant U30-AS



U30-AS antistatic, polyurethane, medium-heavy highly abrasion resistant, microbe resistant and flame retardant flexible hose ideal for a variety of applications.

Industries/applications include combustible dust, woodworking, abrasive powder, bulk material, offset printing, UV dryer, IR dryer, textile, clean room ventilation. Flame-retardant according to DIN 4102-B1. Permanently antistatic wall: electrical and surface resistance <math>< 10^9 \Omega</math>

Standard 25 feet length. \$10 cutting charge for 12.5 feet length.

[Click here for more information](#)

Light Weight U20-AS



Here's what our Connecticut based customer has to say about the project "I found the installation pretty straight forward. Preassembled all the drops and sealed them before installation. The system operates well for all the equipment. I also used silver RTV silicone so it can't be seen in the joints. Curt was very helpful as I never did this before."



Antistatic Flexible Hose




U20-AS antistatic, light weight, highly flexible, compressible (3:1), abrasion resistant, microbe resistant and flame retardant flexible hose. Lighter weight, lighter duty version of the U30-AS. Flame-retardant according to DIN 4102-B1. Permanently antistatic wall: electrical and surface resistance <math><109 \Omega</math>

Standard 25 feet length. \$10 cutting charge for 12.5 feet length.

[Click here for more information](#)

Like/View/Follow us



5/9/2017

Air Handling News - Products in Action

Air Handling Systems, 5 Lunar Dr, Woodbridge, CT 06525

[SafeUnsubscribe™ {recipient's email}](#)

[Forward email](#) | [Update Profile](#) | [About our service provider](#)

Sent by jscott@airhand.com in collaboration with



Try it free today