

Air Handling Systems Newsletter

www.airhand.com

INDUSTRIAL STRENGTH
Ductwork Direct
January 2017

Custom Woodworking Shop

DHT WoodWorks, LLC in Appomattox, VA needed to set up a small custom woodworking shop in conjunction with a construction business and needed to install some dust collection, so they turned to Air Handling Systems. Using our online resources and technical data they were able to determine their needs which eased the ordering and installation process.





Want us to showcase your dust or fume collection system?
Simply email us at sales@airhand.com



Light Weight U20-AS
Antistatic Flexible Hose



U20-AS antistatic, light weight, highly flexible, compressible (3:1), abrasion resistant, microbe resistant and flame retardant flexible hose. Lighter weight, lighter duty version of the U30-AS. Flame-retardant according to DIN 4102-B1. Permanently antistatic wall: electrical and surface resistance $<10^9 \Omega$

Construction: 20-MIL (.020) approx. permanently antistatic ester-polyurethane with a spring steel wire helix firmly embedded in wall. Color: Clear. Standard Length: 25 ft. or 12.5 ft. for \$10 cut charge. Temp. Range: -40F to 195F (255F intermittent).

Standard 25 feet length. \$10 cutting charge for 12.5 feet length.

[Click here for more information](#)



Highly Abrasion Resistant U30-AS
Antistatic Flexible Hose



U30-AS antistatic, polyurethane, medium-heavy highly abrasion resistant, microbe resistant and flame retardant flexible hose ideal for a variety of applications. Industries/applications include combustible dust, woodworking, abrasive powder, bulk material, offset printing, UV dryer, IR dryer, textile, clean room ventilation. Flame-retardant according to DIN 4102-B1. Permanently antistatic wall: electrical and surface resistance $<10^9 \Omega$

Construction: 30-MIL approx. permanently antistatic ester-polyurethane with a spring steel wire helix firmly embedded in wall. Color: Transparent. Standard Length: 25 ft. or 12.5 ft. for \$10 cut-charge. Temp. Range: -40F to 195F (255F intermittent)


Standard 25 feet length. \$10 cutting charge for 12.5 feet length.

[Click here for more information](#)

**Got Dust?
Need Hose?**

WOODWEB 

Woodweb is the best online source for woodworking tips, techniques and ideas shared among woodworkers of all sizes. Air Handling Systems has been a proud sponsor and supporter since 1997. In our supporting role, Curt Corum, Sales Manager has been monitor



Air Handling Systems stocks over 15 different types of flexible hoses from 2"-12" in diameter.

Click here to see our online selection. If you don't see the hose you need, let us know and we can tap our extensive network to find the correct hose for your application.

of the Dust Collection, Safety and Plant Operation forum for over 18 years. In this role he keeps a pulse on members' questions, discussions and concerns and shares his knowledge when called upon. **Click here** to visit the forum.

User posted **this comment** endorsing Curt's role as monitor.

Air Handling Catalog

Air Handling Systems catalog is full of our most popular products. To request your free copy, **click here**, call 800-367-3828 or email **sales@airhand.com**.



Like/View/Follow us



Air Handling Systems, 5 Lunar Dr, Woodbridge, CT 06525

SafeUnsubscribe™ {recipient's email}

Forward email | Update Profile | About our service provider

Sent by jscott@airhand.com in collaboration with

Constant Contact®

Try it free today