



ULW-AS Flexible Hose

Antistatic Lightweight Abrasion Resistance

Lightweight, transparent, with excellent flexibility and compressibility (3:1), ULW-AS is constructed of antistatic premium ester-polyurethane (Pre-PUR®) with a wire helix. Permanently antistatic wall according to ISO 8031 electrical and surface resistance $< 10^9 \Omega$ (according to NFPA 652 10^8 - $10^9 \Omega$). Ideal for dust collection or oil mist applications.

Abrasion Resistant Flame Resistant (UL94-HB) Microbe Resistant Antistatic



Specifications

Construction: Antistatic polyurethane with a spring steel wire helix.

Color: Translucent

Standard Lengths: 10 ft. & 25 ft.

Temp. Range: -40°F to 195°F

Diameter	Part #	Working Pressure (PSI)	Vacuum (inHg)	CL Bend Radius (in.)	Compression Ratio	Wall Thickness (in.)	Weight (lbs/ft.)
3"	03ULW-AS	13.779	11.517	1.772	1 ft / 3 in	.015	0.276
4"	04ULW-AS	10.298	8.859	2.283	1 ft / 3 in	.015	0.343
5"	05ULW-AS	8.267	5.611	2.795	1 ft / 3 in	.015	0.423
6"	06ULW-AS	6.962	3.839	3.268	1 ft / 3 in	.015	0.511
8"	08ULW-AS	5.221	3.248	4.252	1 ft / 3 in	.015	0.692
10"	10ULW-AS	4.061	1.772	5.669	1 ft / 3 in	.015	0.874
12"	12ULW-AS	3.336	1.181	6.417	1 ft / 3 in	.015	1.163

Technical data based on tests at 68°F and are approx. values.

Please note that due to market conditions beyond our control, both product specifications and pricing are subject to change without prior notice. All buyers are required to adhere to the terms and conditions of sale. It is important to be aware that different states and localities have their own unique codes and regulations governing the sale, construction, installation, and utilization of products for specific purposes. These regulations may vary from one region to another. Air Handling Systems by Manufacturers Service Co., Inc. cannot guarantee compliance, nor can we assume responsibility for the installation or usage of our products. We strongly urge you to thoroughly review the product's intended application, as well as both national and local codes and regulations, prior to purchase. Copyright © Air Handling Systems.